In re: Michael John O'Loughlin et al.

Serial No.: 10/790,406 Filed: March 1, 2004

Page 2 of 4

In the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-20. (Canceled)

- 21. (Original) A semiconductor structure comprising a silicon carbide epitaxial layer having a carrot defect which is terminated within the epitaxial layer.
 - 22. (Original) A semiconductor structure comprising:

an off-axis silicon carbide substrate;

an epitaxial layer of silicon carbide on the substrate,

a carrot defect having a nucleation point in the vicinity of an interface between the substrate and the epitaxial layer, wherein the carrot defect terminates within the epitaxial layer.

- 23. (Original) A structure according to claim 22, wherein the substrate comprises silicon carbide having a polytype selected from the group consisting of 2H, 4H, and 6H.
- 24. (Original) A structure according to claim 22, wherein the silicon carbide substrate is cut off-axis towards the $\langle 11\overline{2}0 \rangle$ direction.
- 25. (Original) A structure according to claim 22, wherein the silicon carbide substrate is cut off-axis towards a crystallographic direction perpendicular to the c-axis.
- 26. (Original) A structure according to claim 22, wherein the epitaxial layer comprises a buffer layer.

In re: Michael John O'Loughlin et al.

Serial No.: 10/790,406 Filed: March 1, 2004

Page 3 of 4

- 27. (Original) A structure according to claim 22, wherein the epitaxial layer is doped with a dopant at a concentration of 1E18 cm⁻³ or greater.
- 28. (Original) A structure according to claim 27, wherein the dopant comprises nitrogen, phosphorus, boron or aluminum.